

Integrated Memory Care Clinic 12 Executive Park Drive, NE 5th floor Atlanta, GA 30329 Phone 404-712-6929

NEW PATIENT INFORMATION

Name:		Da	te of Birth:
Preferred Name:		SSN	
Race:	Highest Level of E	ducation:	
Address:			
City:		State:	Zip Code:
Email:			
Telephone: (h)			
Communication Needs:			
Family Contact:			
Name:	Relation	nship to patient:_	
Address:			
City:			
Email:			
Telephone: (h)			
Emergency Contact:			
Name:	Relation	nship to patient:_	
Address:			
City:			
Email:			
Telephone: (h)			

Primary Caregiver (if other than Family Contact)

Name:		_Relationship to	patient:_	
Address:				
				Zip Code:
Email:				
			(cell)	
Who would you	like to be your primary	contact regardir	ng your me	edical/mental health care
and care coordi	ination?			
<u>YOUR SOCIAL H</u>	IISTORY:			
Primary Langua	ge:			
Marital Status:		Handedness	Right 🗖	Left Ambidextrous
Where do you li	ive:	Who do you li	ive with:	
Primary Occupa	tion(s) Prior to Retiring:_			
ALLERGIES:	5 FAMILY MEDICAL AND F			
Are you allergic	to any medication(s)? If	yes, please list ti	nem.	
Do you have an	y other allergies? If yes, p	please list them.		
VACCINATIONS				
	/accination: Yes 🗖 No 🗖			
				en:
Zostavax (Shing	les) Vaccination: Yes 🗖 1	No 🗖 Date Give	en:	
Tetanus Vaccina	ation: Yes 🗖 No 🗖 Date	e Given:		
Preventative Sci	reenings: (Tests and Date	es)		

ADVANCE CARE PLANNING:

Have you executed any of the following documents? Please bring the Integrated Memory Care
Clinic copies of these documents if you have them.

Advance directives,	Living Will*,	or Power	of Attorney	v for Healthcare:	YES	NO
,						

*A living will is a document that states your wishes regarding medical interventions near the end of your life. A living will is NOT your "Last Will & Testament." These documents are different.

NEW SYMPTOMS OR HEALTH CONCERNS:

Are you having any new symptoms or current health concerns? ______

When did the symptoms begin?

How did the symptoms begin?	Gradually 🗖	Suddenly 🗖	Occasionally
-----------------------------	-------------	------------	--------------

Has anything helped or worsened the symptoms? ______

PAST SURGICAL HISTORY:

Date of Surgery or Operation	Type of Surgery or Operation	

PAST MEDICAL HISTORY OF PATIENT AND FAMILY:

Please check off all that apply for the patient and family:

	Patient	Mother	Father	Sibling	Other
Acid Reflux/GERD					
Alcohol or Substance Addiction/Misuse					
Patient: # of drinks/week:					
Allergies					
Anemia					
Anxiety					
Arthritis					
Asthma					
Bleeding Disorders					
Cancer (Type):					
Depression					
Diabetes					
Drug (Prescription or Street) Abuse					
Emphysema/Bronchitis/COPD					
Epilepsy/Seizure Disorder					
Headaches					
Hearing Loss					
Heart Disease					
High Blood Pressures					
High Cholesterol					
Irritable Bowel					
Kidney Disease					
Liver Disease					

Osteoporosis			
Smoking			
Stroke			
Thyroid Disease			
Chronic Pain			
Other Physical Diagnosis:			
Other Psychiatric Diagnosis:			

PHYSICIANS AND OTHER HEALTHCARE PROVIDERS:

We would like to know about other providers and specialists that have been involved in your

medical care within the past three years.

Former Primary Care Provider: ______

Contact Information: _____

Current Medical/ Mental Health Specialists: Attach an additional sheet if necessary.

Physician/Practice Name	Specialty	Phone Number

PHARMACY AND MEDICATIONS:

Preferred Pharmacy:_____

Address and Phone Number:

The IMCC would like to know the current medications you are taking. If you bring all of your medications—including over-the-counter medications and supplements—to your clinic appointment, this section does not need to be completed. If you live at an assisted living community or a personal care home, please bring an official copy of their medication administration record to the appointment.

Please complete this section if you cannot bring your medications or facility medication list with you.

MEDICATION: DOSAGE/TIME TAKEN: A caregiver or family member should complete this section.

ACTIVITIES OF DAILY LIVING:	
For each category, please \checkmark the ONE option, which indicates the high	est level of
independent function most common for the patient.	
FEEDING	
1. Eats without assistance	
2. Eats with minor assistance at meal times and, or with special preparation of	
food, or help in cleaning up after meals	
3. Feeds self with moderate assistance and is untidy	
4. Requires extensive assistance for all meals	
5. Does not feed self at all and resists efforts of others to feed him	
DRESSING	
1. Dresses, undresses, and selects clothes from own wardrobe	
2. Dresses and undresses self with minor assistance	
3. Needs moderate assistance in dressing or selection of clothes	
4. Needs major assistance in dressing, but cooperates with efforts of others to	
help	
5. Completely unable to dress self and resists efforts of others to help	
GROOMING	
1. Always neatly dressed, well-groomed, without assistance	
2. Grooms self adequately with occasional minor assistance, e.g., shaving	
3. Needs moderate and regular assistance or supervision in grooming	
4. Needs total grooming care, but can remain well-groomed after help from	
others	
5. Actively negates all efforts of others to maintain grooming	
WALKING (Physical Ambulation)	
1. Travels about grounds or city independently	
2. Walks within residence or about one block distance	
3. Walks with assistance of (✓) one	
another person Irailing Cane walker wheelchair	
Gets in wheelchair without help	
Needs help getting in and out of wheelchair	
4. Sits unsupported in chair or wheelchair but cannot propel self without help	
5. Bedridden more than half of the time	

For each category, please \checkmark the ONE option, which indicates the high	est level of
independent function most common for the patient.	
BATHING	
1. Bathes self (tub, shower, sponge bath) without help	
2. Bathes self with help in getting in and out of the tub	
3. Washes face and hands only, but cannot bath rest of body	
4. Does not wash self but is cooperative with those who bathe him	
5. Does not try to wash self and resists help to keep clean	
TOILETING	
1. Cares for self at toilet completely, no incontinence (accidents)	
2. Needs to be reminded/needs help in cleaning self; Has rare (weekly) accidents	
3. Soiling or wetting while asleep more than once a week	
4. Soiling or wetting while awake more than once a week	
5. No control of bowels or bladder	
ABILITY TO USE TELEPHONE	
1. Operates telephone on own initiative – looks up and dials numbers etc.	
2. Dials a few well-known numbers	
3. Answers telephone but does not dial	
4. Does not use telephone at all	
SHOPPING	
1. Takes care of all shopping needs independently	
2. Shops independently for small purchases	
3. Needs to be accompanied on any shopping trip	
4. Completely unable to shop	
FOOD PREPARATION	
1. Plans, prepares, and serves adequate meals independently	
2. Prepares adequate meals if supplied with ingredients	
3. Heats and serves prepared meals or prepares meals but does not maintain	
adequate diet	
4. Needs to have meals prepared and served	
HOUSEKEEPING	
1. Maintains house alone or with occasional assistance	
2. Performs light daily tasks such as dishwashing, bed making	
3. Performs light daily tasks but cannot maintain acceptable level of cleanliness	
4. Needs help with all home maintenance tasks	
5. Does not participate in any housekeeping tasks	

ACTIVITIES OF DAILY LIVING:	
For each category, please \checkmark the ONE option, which indicates the high	est level of
independent function most common for the patient.	
LAUNDRY	
1. Does personal laundry completely	
2. Launders small items, rinses socks, stockings, etc.	
3. All laundry must be done by others	
MODE OF TRANSPORTATION	
1. Travels independently on public transportation or drives own car	
2. Arranges own travel via taxi but doesn't use public transportation	
3. Travels on public transportation when assisted or accompanied by another person	
4. Travel limited to taxi or automobile with assistance of others	
5. Does not travel at all	
RESPONSIBLE FOR OWN MEDICATIONS	
1. Responsible for taking medication in correct dosages at correct times	
2. Takes responsibility if medication is prepared in advance in separate dosages	
3. Is not capable of dispensing own medication	
ABILITY TO HANDLE FINANCES	
1. Manages financial matters independently, budgets, writes checks, pays rent,	
bills, goes to bank, collects and keeps track of income	
2. Manages daily purchases but needs help with banking, major purchases, etc.	
3. Incapable of handling money	
DRIVING	
1. Drives alone safely	
2. Drives alone but has had one or more recent accidents	
3. Drives alone but has gotten lost	
4. Drives only with someone else in the car	
5. Never drove/no longer drives	
LIVING ARRANGEMENTS	
1. Lives alone	
2. Lives with spouse or family members	
3. Lives in assisted living	
4. Lives in a nursing home	

Neuropsychiatric Inventory Questionnaire Instructions

The following tool provides a reliable assessment of behaviors commonly observed in patients with dementia. The Neuropsychiatric Inventory section, the next two pages, should be completed by a Family Member or Primary Care Giver.

Please answer the following questions based on **CHANGES** that have occurred since the patient first began to experience **MEMORY PROBLEMS**.

Circle "**YES**" only if the symptom has been present in the past month. Otherwise, circle "**NO**". <u>For each item marked "YES</u>"

- Rate the severity of the symptom (how it affects the patient):
 - 1=Mild (noticeable, but not a significant change)
 - 2=Moderate (significant, but not a dramatic change)
 - 3=Severe (very marked or prominent, a dramatic change)
- Rate the distress you experience because of that symptom (how it affects you): 0=Not distressing at all

1=Minimal (slightly distressing, not a problem to cope with)

2=Mild (not very distressing, generally easy to cope with)

3=Moderate (fairly distressing, not always easy to cope with)

4=Severe (very distressing, difficult to cope with)

5=Extreme or very severe (extremely distressing, unable to cope with)

Neuropsychiatric Inventory Questionnaire (See Instructions on Previous Page)

	Delusions: Does the patient believe that others are stealing from him or her, or planning to harm him or											
		ne way?		•	•	D '	•		•	•		-
Y	Ν	Severity:	1	2	3	Distress:	0	1	2	3	4	5
Hallucinations: Does the patient act as if he or she hears voices? Does he or she talk to people who are												
not	there	?										
Y	Ν	Severity:	1	2	3	Distress:	0	1	2	3	4	5
Agi	Agitation or aggression: Is the patient stubborn and resistant to help from other?											
Y	N	Severity:	1	2	3	Distress:	0	1	2	3	4	5
		-										
Dep	oressio	n or dyspho	ria:	Does t	he pa	atient act as i	f he c	or she	is sad	or in	low sp	pirits? Does he or she cry?
Y	Ν	Severity:	1	2	3	Distress:	0	1	2	3	4	5
	• •	<u> </u>								2 5		
	-	•			•	•			•			or she have any other signs
								-				eeling excessively tense?
Y	Ν	Severity:	1	2	3	Distress:	0	1	2	3	4	5
Elat	tion or	ounhoria	Door	tho no	tiont	appear to fe	ol tor		orac		scivo	ly hanny?
Y	N	=	1 Does	2	3		0	1 g000	2	3	4	
T	IN	Severity:	1	2	3	Distress:	U	1	Z	3	4	5
Apa	athy o	indifference	e: Do	bes the	- pati	ent seem les	s inte	rested	l in hi	s or h	er usu	al activities and in the
-	-	and plans of			5 p 6 0		•				01 0.00	
Y	N	Severity:	1	2	3	Distress:	0	1	2	3	4	5
-			_	_	•		•	-	_	•	-	-
Disi	inhibit	ion: Does tl	he pa	tient s	eem	to act impuls	ively	? For	examp	ole, do	oes th	e patient talk to strangers as
if he	e or sh	e knows the	m, or	does t	the pa	atient say thi	ngs tl	hat ma	ay hur	t peo	ple's f	eelings?
Υ	Ν	Severity:	1	2	3	Distress:	0	1	2	3	4	5
	-	•		•		•	cran	ky? D	oes he	e or sł	ne hav	ve difficulty coping with
dela	ays or	waiting for p	lanne	ed activ	vities	?						
Υ	Ν	Severity:	1	2	3	Distress:	0	1	2	3	4	5
						· · ·						
	Motor disturbance: Does the patient engage in repetitive activities such as pacing around the house, handling buttons, wrapping string, or doing other things repeatedly?											
	-		••••	-		-	-	•		_	_	_
Y	Ν	Severity:	1	2	3	Distress:	0	1	2	3	4	5
Nia	httim	hehaviors	Doo	s tha n	ation	it awakan vo	u dur	ing th	a niah	t rico	too	early in the morning, or take
-		naps during		•	atici		uuu	ing th	- 111611	it, 113C		any in the morning, or take
Y	N N		1 1		2	Distress:	0	1	2	Э	л	5
	IN	Severity:	1	2	3	DISURSS	0	1	2	3	4	5
Appetite and eating: Has the patient lost or gained weight, or had a change in the food he or she likes?												
Y	N	Severity:	1	2	3	Distress:	0	1	2	3	4	5
					-	=	-	-		-	-	-

Caregiver Stress Scale To Be Completed by Caregiver

Caregiver Name:									
Patient Name:									
Caregiver Relationship to Patient:									
🗖 Spouse	🗖 Father	🗖 Son	Same Sex Partner	🗖 Friend					
Mother	Daughter	🗖 Sibling	Significant Other	🗖 Other					

Caregiver Confidence

The caregiver	Very Much	Somewhat	Just a Little	Not at All
Is confident how to deal				
with a very difficult				
situation				
Feels that he/she is a good				
caregiver				
Feels competent				
Feels self-confident				

Management of Situation

The caregiver	Very Much	Somewhat	Just a Little	Not at All
Is firm in directing relative's behavior				
Does the things he/she has to do and let's other things slide				
Tries to find ways to keep relative busy				
Tries to learn as much as he/she can about the illness				